




Discovering Computers 2003
Concepts for a Digital World
Web and XP Enhanced

Chapter 4 Objectives

Describe the components in the system unit

Describe the types of expansion slots and cards in the system unit

Explain how the CPU uses the four steps of a machine cycle to process data

Explain the difference between a serial, a parallel, and a USB port

Compare and contrast various personal computer processors on the market today

Describe how buses contribute to a computer's processing speed

Define a bit and describe how a series of bits represents data

Identify components in a notebook computer

Differentiate among the various types of memory

Identify components in a handheld computer

Next
p. 42

Discovering Computers 2003
Concepts for a Digital World
Web and XP Enhanced

The System Unit What is the system unit?




- Box-like case that contains computer's electronic components
- Sometimes called the **chassis**

Next
p. 42 Fig. 4-1

Discovering Computers 2003
Concepts for a Digital World
Web and XP Enhanced

The System Unit What are common components inside the system unit?

- ✦ **Processor**
- ✦ **Memory module**
- ✦ **Expansion cards**
 - Sound card
 - Modem card
 - Video card
 - Network interface card
- ✦ **Ports and Connectors**




Next
p. 43 Fig. 4-2

Discovering Computers 2003
Concepts for a Digital World
Web and XP Enhanced

The System Unit What is the motherboard?


- ✦ Main circuit board in system unit
- ✦ Contains chips, integrated circuits, and transistors
- ✦ Also called **system board**




Next
p. 44 Fig. 4-3

Discovering Computers 2003
Concepts for a Digital World
Web and XP Enhanced

The System Unit What chip packages are available?




single edge contact (SEC) cartridge



dual inline package (DIP)



flip chip-PGA (FC-PGA) package



pin grid array (PGA)

Next
p. 44 Fig. 4-4

Ketaabton.com


Discovering Computers 2003 Concepts for a Digital World Web and XP Enhanced

Central Processing Unit

What is the **central processing unit (CPU)** ?

- Interprets and carries out basic instructions that operate a computer
- Also called the **processor**

CPU




The diagram shows the CPU at the top, divided into a Control Unit and an Arithmetic/Logic Unit. Below the CPU is Memory, which is connected to Input Devices on the left and Output Devices on the right. Storage Devices are shown at the bottom, connected to Memory. A yellow arrow points from the text 'CPU' to the CPU box.

Next p. 45 Fig. 4-5

Discovering Computers 2003 Concepts for a Digital World Web and XP Enhanced

Central Processing Unit

What are the components of the CPU?



The diagram shows a large box labeled 'CPU' containing two smaller boxes: 'Control Unit' and 'Arithmetic/Logic Unit (ALU)'.

Next p. 45

Discovering Computers 2003 Concepts for a Digital World Web and XP Enhanced

Central Processing Unit

What is the **control unit**?

- Directs and coordinates operations in computer

Control unit repeats four basic operations:

- Fetch - obtain program instruction or data item from memory
- Decode - translate instruction into commands
- Execute - carry out command
- Store - write result to memory



The diagram shows a box labeled 'Control Unit' with a circular arrow indicating a cycle.


Next p. 45

Discovering Computers 2003 Concepts for a Digital World Web and XP Enhanced

Central Processing Unit

What is a **machine cycle**?

- Four operations of the CPU comprise a machine cycle
- Also called **instruction cycle**
- Instruction time (i-time) - time taken to fetch and decode
- Execution time (e-time) - time taken to execute and store



The diagram shows a circular arrow cycle with four steps: 1. Fetch, 2. Decode, 3. Execute, 4. Store. The cycle is divided into two halves: 'e-time' (Execution time) for steps 3 and 4, and 'i-time' (Instruction time) for steps 1 and 2.

Next p. 45


Discovering Computers 2003 Concepts for a Digital World Web and XP Enhanced

Central Processing Unit

An example of a machine cycle

Student enters math problem (100×52) into computer's memory

Result in memory displays on monitor's screen



The diagram shows a student entering a math problem into a computer. The computer's memory displays the result. The cycle is labeled with steps: 1. Fetch, 2. Decode, 3. Execute, 4. Store. The ALU is shown with the calculation $100 \times 52 = 5200$. The CPU is shown with the calculation 100×52 . The Control Unit is shown with the calculation 100×52 .


Next p. 46 Fig. 4-6

Discovering Computers 2003 Concepts for a Digital World Web and XP Enhanced

Central Processing Unit

How is the CPU's speed measured?

- According to how many millions of instructions per second (MIPS) it can process



The diagram shows a clock and a cycle of four steps: 1. Fetch, 2. Decode, 3. Execute, 4. Store. The ALU is shown with the calculation $100 \times 52 = 5200$. The CPU is shown with the calculation 100×52 . The Control Unit is shown with the calculation 100×52 .

Next p. 46

Discovering Computers 2003 Concepts for a Digital World Web and XP Enhanced

Central Processing Unit

What are two designs used for the CPU?

CISC

(complex instruction set computing)

- Supports large number of instructions
- CPU executes complex instructions more quickly

RISC

(reduced instruction set computing)

- Supports smaller number of instructions
- CPU executes simple instructions more quickly

Next
p. 4.6

Discovering Computers 2003 Concepts for a Digital World Web and XP Enhanced

Central Processing Unit

What is the arithmetic/logic unit (ALU) ?

- CPU component that performs execution part of the machine cycle

Arithmetic

(addition, subtraction, multiplication, and division)

Comparison

(greater than, equal to, or less than)

Logical

(AND, OR, NOT)

Next
p. 4.7

Discovering Computers 2003 Concepts for a Digital World Web and XP Enhanced

Central Processing Unit

What is **pipelining**?

- CPU begins executing second instruction before completing first instruction
- Results in faster processing

Machine Cycle (without pipelining)

Machine Cycle (with pipelining)

Next
p. 4.7 Fig. 4-7

Discovering Computers 2003 Concepts for a Digital World Web and XP Enhanced

Central Processing Unit

What is a **register**?

- Temporary storage area that holds data and instructions

Stores instruction while it is being decoded

Stores results of calculation

Stores location from where instruction was fetched

Stores data while ALU processes it

Next
p. 4.7

Discovering Computers 2003 Concepts for a Digital World Web and XP Enhanced

Central Processing Unit

What is the **system clock**?

- Synchronizes all computer operations
- Each tick is clock cycle

MHz - one million ticks of system clock

GHz - one billion ticks of system clock

Next
p. 4.8

Discovering Computers 2003 Concepts for a Digital World Web and XP Enhanced

Central Processing Unit

What is a **microprocessor**?

- Single processor chip found in personal computers

Next
p. 4.9

Discovering Computers 2003
Concepts for a Digital World
Web and XP Enhanced

Central Processing Unit

How do personal computer processors compare?

COMPARISON OF WIDELY USED PERSONAL COMPUTER PROCESSORS

NAME	DATE INTRODUCED	MANUFACTURER	CLOCK SPEED	NUMBER OF TRANSISTORS
Xeon™	2001	Intel	1.4 GHz and up	7K
Pentium® 4	2000	Intel	1.4 GHz and higher	42 million
Pentium® III Xeon™	2001	Intel	800 MHz and higher	25.4-60 million
Pentium® III Xeon™	1999	Intel	500 MHz - 1 GHz	9.5-28 million
Pentium® III	1999	Intel	400 MHz - 1.2 GHz	9.5-28 million
Altium™	1999	AMD	500 MHz - 1.2 GHz	22-37 million
Duron™	1999	AMD	600 - 1.2 GHz	18 million
AMD-K6™ III	1999	AMD	400 - 450 MHz	21.3 million
Celeron™	1998	Intel	266 - 1.2 GHz	7.5-19 million
Pentium® II Xeon™	1998	Intel	400 - 450 MHz	7.5-27 million
AMD-K6™ 2	1998	AMD	366 - 550 MHz	9.3 million
AMD-K6™	1998	AMD	300 MHz	8.8 million
Pentium® II	1997	Intel	233 - 450 MHz	7.5 million
Pentium® with MMX™ technology	1997	Intel	166 - 233 MHz	4.5 million
Pentium® Pro	1995	Intel	150 - 200 MHz	5.5 million
Pentium®	1993	Intel	75 - 200 MHz	3.3 million
80486DX	1989	Intel	25 - 100 MHz	1.2 million
80386DX	1985	Intel	16 - 33 MHz	275,000
80286	1982	Intel	6 - 12 MHz	134,000
PowerPC	1994	Motorola	50 - 867 MHz	up to 50 million
68040	1989	Motorola	25 - 40 MHz	1.2 million
68030	1987	Motorola	16 - 50 MHz	270,000
68020	1984	Motorola	16 - 33 MHz	190,000

Next
p. 4.9 Fig. 4-10

Discovering Computers 2003
Concepts for a Digital World
Web and XP Enhanced

Central Processing Unit

What is a coprocessor?

Chip that assists processor in performing specific tasks

One type is a floating-point coprocessor, also known as a math or numeric coprocessor

Next
p. 4.13

Discovering Computers 2003
Concepts for a Digital World
Web and XP Enhanced

Central Processing Unit

What is parallel processing?

- Using multiple processors simultaneously to execute program faster
- Requires special software to divide problem and bring results together

Next
p. 4.13 Fig. 4-13

Discovering Computers 2003
Concepts for a Digital World
Web and XP Enhanced

Data Representation

How do computers represent data?

- Most computers are digital
- Recognize only two discrete states: on or off

Next
p. 4.13

Discovering Computers 2003
Concepts for a Digital World
Web and XP Enhanced

Data Representation

What is the binary system?

- Number system with two unique digits: 0 and 1

Binary Digit (bit)	Electronic Charge	Electronic State
1	ON	ON
0	OFF	OFF

Next
p. 4.14 Fig. 4-14

Discovering Computers 2003
Concepts for a Digital World
Web and XP Enhanced

Data Representation

What is a byte?

- Eight bits grouped together

8-bit byte for the number 3

8-bit byte for the number 5

8-bit byte for the capital letter T

Next
p. 4.14 Fig. 4-15

Discovering Computers 2003
Concepts for a Digital World
Web and XP Enhanced

Data Representation

What are three popular coding systems to represent data?

- ❖ **ASCII** - American Standard Code for Information Interchange
- ❖ **EBCDIC** - Extended Binary Coded Decimal Interchange Code
- ❖ **Unicode** - coding scheme capable of representing all world's languages

ASCII	Symbol	EBCDIC
00110000	0	11110000
00110001	1	11110001
00110010	2	11110010
00110011	3	11110011
00110100	4	11110100
00110101	5	11110101
00110110	6	11110110
00110111	7	11110111
00111000	8	11111000
00111001	9	11111001
01000001	A	11000001
01000010	B	11000010
01000011	C	11000011
01000100	D	11000100
01000101	E	11000101

Next
p. 4.14 Fig. 4-16

Discovering Computers 2003
Concepts for a Digital World
Web and XP Enhanced

Data Representation

How is a character sent from keyboard to computer?

Step 1: Press letter T

Step 2: Electronic signal for letter T sent to system unit

Step 3: Signal changed to its ASCII code (01010100) and stored in memory

Step 4: After processing, binary code for letter T is converted to image on output device

Next
p. 4.15 Fig. 4-17

Discovering Computers 2003
Concepts for a Digital World
Web and XP Enhanced

Memory

What is **memory**?

- ❖ Temporary storage area for operating system, application programs, and data
- ❖ Consists of one or more chips on motherboard
- ❖ Each byte stored in unique address

Next
p. 4.15

Discovering Computers 2003
Concepts for a Digital World
Web and XP Enhanced

Memory

How is memory measured?

- ❖ By number of bytes available

Term	Abbreviation	Approximate Memory Size	Exact Memory Amount	Approximate Number of Pages of Text
Kilobyte	KB or K	1 thousand bytes	1,024 bytes	1/2
Megabyte	MB	1 million bytes	1,048,576 bytes	500
Gigabyte	GB	1 billion bytes	1,073,741,824 bytes	500,000
Terabyte	TB	1 trillion bytes	1,099,511,627,776 bytes	500,000,000

Next
p. 4.16 Fig. 4-19

Discovering Computers 2003
Concepts for a Digital World
Web and XP Enhanced

Memory

What are two types of system unit memory?

volatile memory
Loses its contents when computer's power is turned off

nonvolatile memory
Does NOT lose its contents when computer's power is turned off

Next
p. 4.16

Discovering Computers 2003
Concepts for a Digital World
Web and XP Enhanced

Memory

What is **random access memory (RAM)**?

- ❖ Memory chips that can be read from and written to by processor
- ❖ Most RAM is volatile
- ❖ The more RAM a computer has, the faster it operates

Next
p. 4.16

Discovering Computers 2003 Memory
Concepts for a Digital World
Web and XP Enhanced

What are two basic types of RAM chips?

Dynamic RAM (DRAM)

- Most common type
- Also called main memory

Static RAM (SRAM)

- Used for special applications such as cache
- Faster and more reliable than DRAM chips

Next
p. 4.18

Discovering Computers 2003 Memory
Concepts for a Digital World
Web and XP Enhanced

How much RAM is needed?

- Software package usually indicates RAM requirements

Windows®
• 133 MHz Intel Pentium® processor
• Minimum 256 MB, 414 MB, 2000
• 32 MB of RAM
• Minimum available disk space
• 256-color monitor capable of 800X600 resolution
• CD-ROM drive

Macintosh®
• Power Macintosh®
• Processor 2.5 to 500 MHz
• 32 MB of free application RAM
• 40 MB of permanent hard space
• 256-color monitor capable of 800X600 resolution
• CD-ROM drive

macromedia FLASH 5

Next
p. 4.18 Fig. 4-22

Discovering Computers 2003 Memory
Concepts for a Digital World
Web and XP Enhanced

How much RAM is needed?

- Depends on type of applications you intend to run on your computer

RAM (in MB)	128 to 256 MB (minimum)	256 to 512 MB (minimum)	512 MB and up		
Use	Home and business users managing personal finances, using standard application software such as word processing, using educational or entertainment CD-ROMs, communicating with others on the Web	Users requiring more advanced multimedia capabilities, running number-intensive accounting, financial, or spreadsheet programs, using voice recognition, working with videos, music, and digital imaging, creating Web sites, participating in video-conferences, playing Internet games	Power users creating professional Web sites, running sophisticated CAD, 3-D design, or other graphics-intensive software		
Model	CX622	A130	A140	P175	P136
Processor	300 MHz Celeron® processor	1 GHz Celeron® processor	1 GHz Pentium® processor	1.7 GHz Pentium® 4 processor	2 GHz Pentium® processor
Memory	128 MB SDRAM Memory	256 MB SDRAM Memory	256 MB SDRAM Memory	512 MB SDRAM Memory	512 MB SDRAM Memory

Next
p. 4.19 Fig. 4-23

Discovering Computers 2003 Memory
Concepts for a Digital World
Web and XP Enhanced

What is cache?

- Helps speed computer processes by storing frequently used instructions and data
- Also called memory cache, cache store, or RAM cache
- L1 cache built in processor
- L2 and L3 cache not built in processor
- L2 advanced transfer cache most common

900XL Mobile

- 15" XGA TFT Color Display
- Intel® Pentium® III Processor
- 600 MHz with 256 KB advanced transfer cache
- 128 MB SDRAM (expandable to 512 MB)
- 6 MB SDRAM 3-D Video Card

GP7-1700 Desktop

- Intel® Pentium® 4 Processor
- 1.7 GHz with 256 KB advanced transfer cache
- 128 MB SDRAM
- VX900 19" Monitor (18" viewable)
- 32 MB AGP Video Card

Next
p. 4.20 Fig. 4-24

Discovering Computers 2003 Memory
Concepts for a Digital World
Web and XP Enhanced

What is read-only memory (ROM)?

- Memory chips that contain data, instructions, or information that is recorded permanently

BIOS
(basic input/output system)
Stored on ROM
Sequence of instructions computer follows to load operating system and other files when you turn on the computer

Data can only be read; cannot be modified in ROM

ROM is nonvolatile — Contents not lost when computer is turned off

Next
p. 4.20

Discovering Computers 2003 Memory
Concepts for a Digital World
Web and XP Enhanced

Types of ROM

Firmware
ROM chips manufactured with permanently written data, instructions, or information

PROM
(programmable read-only memory)
Blank ROM on which you can place items permanently

EEPROM
(electrically erasable programmable read-only memory)
Type of PROM containing microcode programmer can erase

Next
p. 4.20

Discovering Computers 2003
Concepts for a Digital World
Web and XP Enhanced

Memory

What is flash memory?

- Nonvolatile memory that can be erased electronically and reprogrammed
- Used with handheld computers and digital cameras, cellular phones, and automobiles




Next
p. 421 Fig. 4-25

Discovering Computers 2003
Concepts for a Digital World
Web and XP Enhanced

Memory

What is CMOS?



- Complementary metal-oxide semiconductor memory**
- Stores information about the computer**
 - type of disk drives
 - keyboard
 - monitor
 - current time and date
- Uses battery to retain information when computer is turned off**

Next
p. 421

Discovering Computers 2003
Concepts for a Digital World
Web and XP Enhanced

Memory

What is memory access time?



- Speed at which processor can access data from memory directly
- Measured in nanoseconds (ns), which is one billionth of a second
- It takes 1/10 of a second to blink your eye; a computer can perform up to 10 million operations in same amount of time

TERM	ABBREVIATION	SPEED
Millisecond	ms	One-thousandth of a second
Microsecond	μs	One-millionth of a second
Nanosecond	ns	One-billionth of a second
Picosecond	ps	One-trillionth of a second


Next
p. 422 Fig. 4-26 & 27

Discovering Computers 2003
Concepts for a Digital World
Web and XP Enhanced

Expansion Slots and Expansion Cards

What is an expansion slot?

- An opening, or socket, where circuit board is inserted into motherboard
- Expansion card inserted in expansion slot



expansion card

expansion slot

Next
p. 423 Fig. 4-29

Discovering Computers 2003
Concepts for a Digital World
Web and XP Enhanced

Expansion Slots and Expansion Cards

How are expansion cards used?

EXPANSION CARD	PURPOSE
Accelerator	To increase the speed of the processor
Controller	To connect disk drives; being phased out because newer motherboards support these connections
Game	To connect a joystick
I/O	To connect input and output devices such as a printer or mouse; being phased out because newer motherboards support these connections
Interface	To connect other peripherals such as a mouse, CD-ROM, or scanner
Memory	To add more memory to the computer
Modem	To connect to other computers through telephone lines
Network Interface	To connect to other computers and peripherals
PC-to-TV converter	To connect to a television
Sound	To connect speakers or microphone
TV Tuner	To view television channels on your monitor
Video	To connect a monitor
Video Capture	To connect a camcorder

Next
p. 423 Fig. 4-28

Discovering Computers 2003
Concepts for a Digital World
Web and XP Enhanced

Expansion Slots and Expansion Cards

What is Plug and Play?



Computer automatically can configure cards and other devices as you install them

Next
p. 424 Fig. 4-29

Discovering Computers 2003
Concepts for a Digital World
Web and XP Enhanced

Expansion Slots and Expansion Cards

What is a PC card?

- ✚ Credit card-sized device used to add capabilities to notebook computers
- ✚ **PCMCIA** - Personal Computer Memory Card International Association
- ✚ Uses include modem, additional memory, and storage



PC card


Next
p. 424 Fig. 4-30

Discovering Computers 2003
Concepts for a Digital World
Web and XP Enhanced

Expansion Slots and Expansion Cards

What is a flash memory card?

- ✚ Adds memory to handheld computers, digital music players, cellular telephones, and similar devices




Next
p. 425 Fig. 4-31

Discovering Computers 2003
Concepts for a Digital World
Web and XP Enhanced

Ports

What is a port?

- ✚ Connects external devices to system unit



Labels: keyboard, mouse, USB, serial port, printer (parallel port), speaker, microphone, monitor, game port, network, telephone line in, svideo out, telephone line out, FM reception, cable TV.

Next
p. 425 Fig. 4-32

Discovering Computers 2003
Concepts for a Digital World
Web and XP Enhanced

Ports

What are different types of connectors?

CONNECTOR	DB-9, 9-pin male	DB-9, 9-pin female	DB-15, 15-pin female	DB-15, 15-pin female	Miniplug
USE	serial port, external modem	EGA & CGA video	VGA & EGA video	game port	speaker & microphone
CONNECTOR	DB-25, 25-pin male	DB-25, 25-pin female	36-pin female, mini ribbon		
USE	serial port, external modem, SCSI	parallel port, printer, tape backup	printer		
CONNECTOR	36-pin Centronics female	50-pin Centronics female	5-pin 150° female DIN		
USE	printer	SCSI	keyboard, MIDI		
CONNECTOR	USB port	RJ-11, 6-pin female, modular telephone	BNC, male coaxial	6-pin male, mini DIN	
USE	connects to 127 different peripheral devices	telephone, modem, LAN	LAN	mouse, keyboard	


Next
p. 426 Fig. 4-34

Discovering Computers 2003
Concepts for a Digital World
Web and XP Enhanced

Ports

What is a serial port?

- ✚ Transmits one bit of data at a time
- ✚ Used to connect slow-speed devices, such as mouse, keyboard, modem



Labels: serial transmission of data, byte representation for number 5 (00110101), DB-9 female connector, DB-9 male connector.

Next
p. 427 Fig. 4-35

Discovering Computers 2003
Concepts for a Digital World
Web and XP Enhanced

Ports

What is a parallel port?

- ✚ Connects devices that can transfer more than one bit at a time, such as a printer



Labels: byte representation for number 1 (00110001), byte representation for number 3 (00110011), byte representation for number 5 (00110101), DB-25 male connector, DB-25 female connector.


Next
p. 427 Fig. 4-36

Discovering Computers 2003
Concepts for a Digital World
Web and XP Enhanced

Ports

What is a universal serial bus port (USB) ?

- Connector that supports newer peripherals and plug and play
- Other popular ports include 1394, MIDI, SCSI, and IrDA



The diagram shows the rear panel of a computer with various ports. Yellow arrows point from the text labels to the corresponding ports: 1394 port (FireWire), USB port, SCSI, Parallel, Audio, Serial, Keyboard Mouse, and AC Power.

1394 port

USB port


Next
p. 428 Fig. 4-37

Discovering Computers 2003
Concepts for a Digital World
Web and XP Enhanced

Buses

What is a bus?

- Channel that allows devices inside computer to communicate with each other
- System bus connects processor and RAM
- Bus width determines number of bits transmitted at one time
- Word size determines number of bits processor can interpret and execute at a given time



The diagram illustrates the system bus connecting the processor and RAM. Labels include processor, system bus, and RAM.

processor

system bus

RAM


Next
p. 429 Fig. 4-39

Discovering Computers 2003
Concepts for a Digital World
Web and XP Enhanced

Buses

What is an expansion bus?

- Allows processor to communicate with peripherals



The diagram shows the internal architecture of a computer, including the processor, memory, and various expansion slots. A legend indicates the speed of different buses: fastest (red), next fastest (orange), next fastest (yellow), and slowest (green). Labels include processor, memory, system bus, ACP bus, PCI bus, PCI bus expansion slots, and ISA bus expansion slots.

fastest
next fastest
next fastest
slowest

processor

memory

system bus

ACP bus

PCI bus

PCI bus expansion slots

ISA bus expansion slots


Next
p. 431 Fig. 4-41

Discovering Computers 2003
Concepts for a Digital World
Web and XP Enhanced

Bays

What is a bay?

- Open area inside system unit used to install additional equipment



The diagram shows the front panel of a computer with various drive bays. Labels include DVD-ROM drive, CD-RW drive, Zip drive, empty drive bay, and floppy disk drive.

DVD-ROM drive

CD-RW drive

Zip drive

empty drive bay

floppy disk drive


Next
p. 432 Fig. 4-42

Discovering Computers 2003
Concepts for a Digital World
Web and XP Enhanced

Power Supply

What is a power supply?

- Converts alternating current (AC) to direct current (DC)
- Some peripheral devices have AC adapter



The diagram shows two power supply units. One is a standard power supply, and the other is a peripheral device with an AC adapter.

Converts alternating current (AC) to direct current (DC)

Some peripheral devices have AC adapter


Next
p. 432

Discovering Computers 2003
Concepts for a Digital World
Web and XP Enhanced

Mobile Computers

What is a mobile computer?

- Notebook, which weighs between 2.5 and 8 pounds, or Handheld



The diagram shows a laptop and a handheld device. A label points to the handheld device, indicating it is a system unit on a handheld computer.


system unit on handheld computer

Next
p. 433 Fig. 4-43

Discovering Computers 2003
Concepts for a Digital World
Web and XP Enhanced

Mobile Computers

What ports are on a notebook computer?



keyboard/mouse port
IrDA port
serial port
parallel port
video port
USB port

Next
p. 4.34 Fig. 4-45

Discovering Computers 2003
Concepts for a Digital World
Web and XP Enhanced

Mobile Computers

How is data transferred from a handheld computer?

- ⇒ An IrDA port allows the handheld computer to communicate wirelessly with other computers or devices
- ⇒ Handheld computers also can rest in a cradle, so you can transfer data to your desktop computer




IrDA port
cradle

Next
p. 4.34 Fig. 4-46

Discovering Computers 2003
Concepts for a Digital World
Web and XP Enhanced

Putting It All Together

What are suggested processor, clock speed, and RAM requirements based on the needs of various types of users?



Home
Mobile
Small Office/Home Office
Large Business
Power

Pentium® 4 or
Itanium™ or
Athlon™ 1 GHz
or higher
256 MB RAM

Next
p. 4.35 Fig. 4-47

Discovering Computers 2003
Concepts for a Digital World
Web and XP Enhanced

Summary of the Components of the System Unit

- The system unit
- Central processing unit
- Data representation
- Memory
- Expansion slots and expansion cards
- Ports, buses, bays
- Power supply
- Mobile computers

Chapter 4 Complete

Next

Get more e-books from www.ketabton.com
Ketabton.com: The Digital Library